

外观颜色: 黑色 Coating color: Black


■ 特点 Features

- ●尺寸小份量轻的二次回路用片状电流保险丝。
- ●温度循环(-55℃~+125℃)1000个循环。
- ●独特的构造和工艺,熔断特性很稳定。
- ●适用于小型电子设备的回路过流保护。
- 对应回流焊。
- 符合欧盟RoHS。
- Small and light chip current fuses for the secondary circuit.
- Temperature cycle ($-55^{\circ}\text{C} \sim +125^{\circ}\text{C}$), 1000cycle.
- Original construction and manufacturing method stabilizefusing characteristics.
- Suitable for overcurrent protection of circuit block in small electronic devices.
- Suitable for reflow solderings.
- Products meet EU-RoHS requirements.

■ 用途 Applications

- ●车载用电子设备的过流保护
- Protection from overcurrent to electronic device for automotive

■ 结构图 Construction




■ 外形尺寸 **Dimensions**

型号 Type		Weight (g)				
(Inch Size Code)	L	W	С	d	t	(1000pcs)
TF16VN (0603)	1.6±0.1	0.8±0.1	0.35±0.1	0.3±0.1	0.45±0.1	2.15

■ 品名构成 Type Designation

实例 Example



欲知关于此产品含有的环境负荷物质详情(除EU-RoHS以外),请与我们联系。 编带细节请参考卷末附录C。

Contact us when you have control request for environmental hazardous material other than the substance specified by EU-RoHS.

For further information on taping, please refer to APPENDIX C on the back pages.

■ 额定值 Ratings

	型 号 Type	表示 Marking	额定电流 Rated	熔断时间 Fusing Time	内部电阻值 Internal R.	额定电压 Rated Voltage	额定环境温度 Rated	使用温度范围 Operating	编带和包装数/卷 Taping & Q'ty/Reel (pcs)
	туре	Marking	Current	rusing time	(mΩ) Max.	naleu vollage	Ambient Temp.	Temperature Range	TD
开发中〉	TF16VN0.80	K	0.80A	施加额定电流的250%的	200				
开发中〉	TF16VN1.00	L	1.00A	电流时,在5秒钟以内。 参照熔断特性图。	160				
开发中〉	TF16VN1.25	М	1.25A		130				
开发中〉	TF16VN1.60	N	1.60A	Open within 5 s.	100	32V	+70°C	-55∼+125°C	5,000
开发中〉	TF16VN2.00	S	2.00A	at 250% rated current. Refer to the graph of fusing characteristics.	80				
开发中〉	TF16VN2.50	Т	2.50A		60				
开发中	TF16VN3.15	U	3.15A		40				

开发中 = Under development



■ 降低额定值 Derating

● 稳恒电流

稳恒电流在重复脉冲时, 稳恒电流波形的峰值是恒稳电流值。

● 降低温度


在环境温度70℃以上使用时,需要校正温度,应考虑右图的降低系 数。

Stationary current


Regard the peak of stationary current waveform as stationary current value when the stationary current is repeated pulse.

Temperature Derating

Rated current needs to be derated if used at an ambient temperature of 70°C or more. Refer to the derating coefficient on the right figure.



■ 熔断特性 Fusing Characteristics (标准熔断时间 Average Fusing Time)



■ 性能 Performance

= ERE TOTOTTIALISE	I THE TENOMINANCE						
试验项目 Test Items	标准值 Performance Requirements △R±%		试验方法 Test Methods				
rest items	保证值 Limit	代表值 Typical	lest Methods				
熔断特性	5秒以内。		施加额定电流的250%的电流。				
Fusing characteristics	Within 5s.		250% of rated current shall be carried.				
电极强度	应当没有电极剥离、导通断线等异常。		支持点间隔90mm,弯曲宽度2mm,一次。				
Bending test	No mechanical damages.		Distance between holding points 90mm, bending width 2mm, 1time.				
耐焊接热	10	5	260°C±5°C, 10s±0.5s				
Resistance to soldering heat	10	3	200 0 20 0, 103 2 0.03				
焊接性	95%以上为新的焊接覆盖。		245°C±3°C. 3s±0.5s				
Solderability	95%coverage min.		,				
通电寿命	10	5	70℃±2℃,1000h,额定电流×100%,1.5小时ON/0.5小时OFF的周期。				
Load life	10	ļ ·	Rated current×100%, 1.5h ON/0.5h OFF cycle				
耐湿通电寿命	10	5	85℃±2℃,85%±5%RH,1000h,额定电流×10%,1.5小时ON/0.5小时OFF的周期。				
Load life moisture	10	ļ ·	Rated current × 10%, 1.5h ON/0.5h OFF cycle				
温度突变 Rapid change of temperature	10	5	-55°C (30min) /+125°C (30min) 1000 cycles				
耐溶剂性	外观应无消失等异常。		依据MIL-STD-202F				
Resistance to solvent	No evidence of damages to protective.	_	Conforming to MIL-STD-202F				
残留电阻值	10KΩ以上		熔断后的直流电阻值。				
Residual resistance	10kΩor more	-	Measure DC resistance after fusing				